

## **Tiburon Connection to EJUS**

Tiburon have 4 different calls to Marin EJUS. All calls will return EJUS URL for auto login with a unique GUID

example: ReturnURL = <https://ejus.net/JusticeSearch/Login.aspx?AutoLogin=177B33A7-BE6D-4A54-9985-717748F18EB7>

If error happened, then OutMessage will show why connection is wrong and ReturnURL will be EJUS failed URL

### **Call 1: EJUS Search and Seizure Search URL**

passing the following parameters:

- UserId
- UserName
- UserAgency
- UserClientIP
- MNI

Return:

ReturnURL, OutMessage

example:

UserId = SO123  
UserName = CARAMUCCI, JENNIFER  
UserAgency = SO  
UserClientIP = 10. 212.1.38  
MNI = 3296580

### **Call 2: EJUS Court Info URL**

passing the following parameters:

- UserId
- UserName
- UserAgency
- UserClientIP
- MNI
- CourtNbr

Return:

ReturnURL, OutMessage

example:

UserId = SO123  
UserName = CARAMUCCI, JENNIFER  
UserAgency = SO  
UserClientIP = 10. 212.1.38  
MNI = 3296580  
CourtNbr = CR210400A

**Call 3: EJUS Complaint Status URL**

passing the following parameters:

- UserId
- UserName
- UserAgency
- UserClientIP
- MNI
- IncidentNbr
- IncidentAgency

Return:

ReturnURL, OutMessage

example:

UserId = SO123  
UserName = CARAMUCCI, JENNIFER  
UserAgency = SO  
UserClientIP = 10. 212.1.38  
MNI = 3296580  
IncidentNbr = 200000373  
IncidentAgency = SO

**Call 4: EJUS probation address search URL**

passing the following parameters:

- UserID
- UserName
- UserAgency
- UserClientIP
- StreetNumber
- StreetDir
- StreetName
- StreetSuffix
- StreetType
- CityName
- State
- UnitNumber
- FullAddress

Return:

ReturnURL, OutMessage

example:

UserId = SO123  
UserName = CARAMUCCI, JENNIFER  
UserAgency = SO  
UserClientIP = 10.212.1.38  
StreetNumber = 5450  
StreetDir

StreetName = RED HILL ROAD  
StreetSuffix  
StreetType  
CityName  
State  
UnitNumber  
FullAddress = 5450 RED HILL ROAD