
## A.P.# 18-191-37

CORNER RECORD

CORNER TYPE: GOVT. CORNER MEANDER RANCHO CONTROL OTHER CONTROL
CORNER — LEFT AS FOUND   FOUND AND TAGGED   REESTABLISHED OBLITERATED CORNER   REBUILT
PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH
FD. 3 STD. CITY MONUMENTS IN LARKSPUR LANDING CIRCLE PER BK 23 PM PG 8, MARIN COUNTY RECORDS
AP NO. 18-191-37
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED
SET NAIL & TAG "LS4818"
- 1011/2 a 1/40 20 4010
` SP!
PARCEL A
BK 23 PM B
RESPUR TOGOT
TANDILLO ROLLING
Control of the second s
To the state of th
0 50 100 200 300
GRAPHIC SCALE
Assessed 9
SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE
THIS CORNER RECORD WAS PREPARED BY ME OF THE CORNER RECORD WAS RECEIVED THE DIRECTION IN CONFORMANCE WITH THE LAND SUPPLIES ACT
ON
SIGNED: No. 4818
LS. or -R.C.E. No.: 4818
EXP. date 9/30/88 SEAL ATE OF STATEMENT ON BACK OF SHEET OF NO IT

		CORNER REC	ORD		
COUNTY OF MAR	1//	R		MERIDIAN	CALIFORNI
CORNER TYPE: GOVT. CO			HTROL OTHE		
CORNER IDENTIFICATION -					
			•	•	
CORNER - LEFT AS FOUR			HED OBLITERATED COR		:
		ICE AND METHOD USED TO	<u>.</u>		
		IUMENTS IN			
CIRCLE PE	FR BK. 23 P.	M PG. 8, MA	RIN COUN	JTT RECOP	DS.
	8-191-37	,			
A / NO. /					
	F MONUMENTS REBUILT OF		•		
SET 3/A	"IP & TAG	s "L54818	"		
	WIPLUG	-			•
,		•	/		
	į				
		8	•		
	li i				
	Ц				,
	77	ø		Ju)	
	Î			/K/	•
	1			171	
		PARC		(8)	
		BK 2.	3 PM B	<b>1</b> 4.7	
	<b>*</b> *			(v)/	
30.6'2	<b>1</b> €869377		•	(0)	
LARKSPO	UR TISSET			/4/	
9	1.03			/6 <sup>/</sup> /	
•	UR LIBER			<b>'</b> /	
	\'	6/7	(1)	,	
		Leby"	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
		1 1891	/0/	. •	
		1 123	<u> </u>		
		15/4	// 0 5	0 100 200	300
		166	Ed =		
		`	183	GRAPHIC SCALE	***
			111	OROFESSIO.	
		1.11	1 %	Just .: ORFI	V.
£112	VEYOR'S CERTIFICATE	CED LAND SUP Y	con	NET SURVEYOR'S CERTIFICA	Carly
THIS CORNER RECORD	26.3	ST QHOP MYS	THE CORNER RECOR	12 · Q- 12 · L	11 10 10 S
DIRECTION IN CONFORM		MAYEYORS ACT	AND EXAMINED AN	PLED OF	19 02 1
ON	100	No. 4818	BY: TITLE:	Derco & Inil	E
• //	1/1/100/	110. 4010	11162:	1	E OC

CORNER RECORD		,	
COUNTY OF MARIN T R		MERIDIAN	CALIFORNIA
CORNER TYPE: GOVT. CORNER MEANDER RANCHO CONTROL CORNER IDENTIFICATION — DATE OF VISIT	OTHER [		
	·		
CORNER — LEFT AS FOUND FOUND AND TAGGED REESTABLISHED OBLITERATE	D CORNER	REBUILT [	
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY OR	REESTABLISH		•
FD. 3 STP. CITY MONUMENTS IN L	ARKSPL	IR LAN	DING
CIRCLE PER BK 23 PM PG 8, MARI	N COUN	ITY RE	CORDS
AP No. 18-191-37			
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED			
SET 34" I.P. W/PLUG & TAG "LS4818"			



	Last Constitution of the C
SURVEYOR'S CERTIFICATE	COUNTY SURVEYOR'S CERTIFICATE
THIS CORNER RECORD WAS PREPARED BY ME OF THIS OF THE DIRECTION IN CONFORMANCE WITH THE LAND SUPPLY OF ACT	AND EXAMINED AND FILED.
on AOG 13 19 # 19 # 19 # 19 # 19 # 19 # 19 # 1	N. J. S. C. M.
SIGNED: Ulsulaste No. 4818	Time: Telephone : 3
Lis. or #.C.E. No.: 4818	DOCUMENT No
Exp. date 9/30/88 SEAL OF OLLER	STATEMENT ON BACK OR SHEET OF CALLFORD

CORNER RECORD		
COUNTY OF MARIN T. R	MERIDIAN	CALIFORN
CORNER TYPE: GOYT. CORNER MEANDER RANCHO CONTROL OTHER CORNER IDENTIFICATION — DATE OF VISIT	•	
ESTARE IDENTIFICATION — BATE OF VISIT		
		•
CORNER — LEFT AS FOUND   FOUND AND TAGGED   REESTABLISHED OBLITERATED CORNER	8731117 -	
PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH	REBUILT	
·		
FD. 3 STD. CITY MONUMENTS IN LARKSPUR		
CIRCLE PER BK. 23 PM PG 8, MARIN COUNT	T RECO	RDS
AUTOMA DEPORTANTAN OF ACCUMANTANCE AND A		<del></del>
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR RERPETUATED		
SET 34" I.P. W/ PLUG & TAG "L54818"	•	
TACK	•	
	by The second	
	~ /	
	<b>/</b> w/	
PARCEL A	(*)	
BK 23 PM B		
0=30GA=GB*2170G*1		
LAN LAN LAND		
D.CITY MON.		
FO.STD.CITY MON. TOBO		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
0 50 100	200	300 ==
IN GRAPHI	C SCALE	
O LAND	THE STATE OF THE S	
SURVEYOR'S CERTIFICATE B. MAC.	TOR'S CERTIFICATE	, 0>
THIS CORNER RECORD WAS PREPARED BY ME OF WHOLE MY THE CORNER RECORD WAS RECEDED TO THE CORNER RECORD WAS RECORD WAS RECEDED TO THE CORNER REC	12-E	(19 <i>D</i> )
Will amount of the second of t		

SHEET 5 OF 10	
CORNER RECORD	
COUNTY OF MARIN T. R MERIDIAN CALIFO	
COUNTY OF	IKNIA
The state of visit	
CORNER — LEFT AS FOUND FOUND AND TAGGED REESTABLISHED OBLITERATED CORNER REBUILT	
PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH	PHILIP TO A STATE OF THE PARTY
FD. 3 STD. CITY MONUMENTS IN LARKSPUR LANDING	
CIRCLE PER BK. 23 PM PG. 8, MARIN COUNTY RECORD	9
AP NO. 18-191-37	
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	
SET 3/4" I.P. W/PLUG, TACK & TAG "LS4818"	
PARCEL A BK 23 PM B  LARKSPUR  CRE  CRE  GRAPHIC SCALE	
PROFESSIONAL PROFE	

THIS CORNER RECORD WAS PREPARED BY THE CONTINUES WITH THE LAND SURVEYORS ACT ON NO. 4818

THE CORNER RECORD WAS RECEIVED 1957

TITLE: Depos Surv

DOCUMENT No. -

3.31.88

		SHEET G OF	10
	CORNER RECORD		and the second of the second o
COUNTY OF MARIN T.	1	MERIDIAN (	CALIFORNIA
CORNER TYPE: GOVT. CORNER MEANDER	BANCHO CONTROL	OTHER _	I CHI CHILL
CORNER IDENTIFICATION - DATE OF VISIT	19		
		•	
		,	
	,	•	
CORNER — LEFT AS FOUND   FOUND AND TAGE	GED REESTABLISHED OBLITERA	TED CORNER REBUILT	
PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE			
FD. 3 STD. CITY MON	UMENTS IN L	ARKSPUR LAND	ING
CIRCLE PER BK. 23 PM			
AP NO. 18-191-37		·	
	. •		
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PER	RPETUATED		
SET I.P. W/AL. CAP	WPUNCH "LS	4818"	
•			
	,		
	•		
BEJOR A: 68°2100 TERS. OF LARKSPUR	N. ROTAL TO	The so too 200 300	
	CRC LEGATA	GRAPHIC SCALE	
		0 07 ESSION OF THE STATE OF THE	
SURVEYOR'S CERTIFICATE SED	LAW AV	COUNTY SURVEYOR'S CERTIFICATE	

THIS CORNER RECORD WAS PREPARED BY ME OF MINDER MY
DIRECTION IN CONFORMANCE WITH THE AND SURVEYORS ACT OF NO. 4818

SIGNED: 4818

L.S. or R.C.E. No.: 4818

THE CORNER RECORD WAS RECEIVED 12 195)
AND EXAMINED AND FILED 12 1950
BY: 111E. DETERMINED NO. 111E.

DOCUMENT No. CIVIL

2386

COUNTY OF MARIN T. B. MERIDIAN  COUNTY OF MARIN T. B. MERIDIAN  CONNER TYPE GOVT. CONNER   MANNDER   BANCHO   CONTROL   OTHER    CONNER DEDITINGATION - BATE OF VISIT   19  CONNER LETT AS FOUND   FOUND AND TAGGED   RESTABLISHED OBLITERATED CORNER   REBUILT    PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY OR RESTABLISH  FD. 3 STD. CITT MONUMENTS IN LARKSPUR LAND  CIRCLE PER BK. 23 PM PG. 8, MARIN COUNTY REGOR  AP NO. 18-191-37  PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERFETUATED  SET 1.P. W/AL. CAP WPUNCH "LS 4818"	= 10
CONNER THE GOYT, CONNER   MEANDER   BANCHO   CONTROL   OTHER    CORNER DENTINCATION - DATE OF VISIT   19.  CONNER - LETT AS FOUND   FOUND AND TAGGED   REESTABLISHED OBLITERATED CORNER   REBUILT    PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH  FD. 3 STD. CITT MONUMENTS IN LARKSPUR LAND CHRCLE PER BK. 23 PM PG. 8, MARIN COUNTY RECOR AP NO. 18 - 191 - 37  PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED  SET 1.P. W/AL. CAP W/PUNCH "LS 4818"  PARCEL A BK 23 PM B	
CORNER - LETT AS FOUND   FOUND AND TAGGED   REESTABLISHED OBLITERATED CORNER   REBUILT    PRIVATICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH  FD. 3 STD. CITT MONUMENTS IN LARKSPUR LAND  CIRCLE PER BK. 23 PM PG. 8, MARIN COUNTY RECOR  A P NO. 18-191-37  PRIVATICAL DESCRIPTION OF MONUMENTS REBUILT OR PERFETUATED  SET 1.P. W/A L. CAP W/PUNCH "LS 4818"  PARCEL A  BK 23 PM B	CALIFORNI
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTITY OR REESTABLISH  FD. 3 STD. CITT MONUMENTS IN LARKSPUR LAND  CIRCLE PER BK. 23 PM PG. 8, MARIN COUNTY RECOR  AP NO. 18-191-37  PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED  SET 1.P. W/AL. CAP W/PUNCH "LS 4818"  PARCEL A  BK 23 PM B  PARCEL A  BK 23 PM B	
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH  FD. 3 STD. CITT MONUMENTS IN LARKSPUR LAND  CIRCLE PER BK. 23 PM PG. 8, MARIN COUNTY RECOR  AP NO. 18-191-37  PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED  SET 1.P. W/AL. CAP W/PUNCH "LS 4818"  PARCEL A  BK 23 PM B  PARCEL A  BK 23 PM B	**************************************
PARCEL A BK 23 PM B	
PARCEL A BK 23 PM B  PARCEL A BK 23 PM B	
PARCEL A BK 23 PM B  RESPUR 1:365.05	
PARCEL A BK 23 PM B  LARKSPUR 1:365.03  LARKSPUR 1:365.03	
PARCEL A BK 23 PM B  LARKSPUR LISES OF LARKSPUR	
GRAPHIC SCALE	<b>∞</b>
THIS CORNER RECORD WAS PREPARED BY KEE OF UNDER MY DIRECTION IN CONFORMANCE WITH THE AND SURVEYORS ACTOR AND EXAMINED AND FILED  ON	1,85)

No.,4818


Eve dale 9/00

DOCUMENT No. -

STATEMENT ON BACK OF SHERE

## CORNER RECORD

•			1110011			
COUNTY OF MARIN	т	R			MERIDIAN	CALIFORNIA
CORNER TYPE: GOVT. CORNER CORNER IDENTIFICATION — DATE OF	MEANDER	BANCHO	CONTROL	OTHER [		
				,		
CORNER - LEFT AS FOUND	FOUND AND TAG	GED REES	ABLISHED OBLITERA	TED CORNER	REBUILT	
PHYSICAL DESCRIPTION OF CORNER	FOUND; EVIDENCE	AND METHOD US	ED TO IDENTIFY OR	REESTABLISH		
FD. 3 STD. CIT	T MONI	IMENT	SIN LA	RKSPUI	RLAND	ING
CIRCLE PER B	K. 23 PM	PG. 8, N	MARIN C	OUNTT	RECOR	RDS.
AP NO. 18-19	1-37					
PHYSICAL DESCRIPTION OF MONUME			, •			
SET I.P. W/A	L. CAP W	1/ PUNCT	1 "L548	318"	•	



DOCUMENT No . \_

STATEMENT ON BACK OF SHEET

SIGNED:

	SHEET 9	OF 10
CORNER RECORD		
COUNTY OF MARIN T R	MERIDIA	N CALIFORNIA
CORNER TYPE: GOVT. CORNER MEANDER RANCHO CONTROL	OTHER [	
CORNER IDENTIFICATION - DATE OF VISIT		
	·	
CORNER — LEFT AS FOUND FOUND AND TAGGED REESTABLISHED OBLITE		
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY	OR REESTABLISH	
FD. 3 STD. CITT MONUMENTS IN	LARKSPUR L	ANDING
CIRCLE PER BK. 23 PM PG 8, MA	RIN COUNTY	RECORDS
AP No. 18-191-37		
		-
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	· <b>n</b> .	:
SET I.P. W/AL. CAP W/PUNCH "LS4	818"	
	•	
PARCEL BK 23 PM	A B	

GRAPHIC SCALE SURVEYOR'S CERTIFICATED ME B. M. PROFESSION COUNTY SURVEYOR'S CERTIFICATE

THIS CORNER RECORD WAS PREPARED AT ME OR UNDER MY DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT. signed: WSMA

AACK OF SHEET DOCUMENT No. \_\_\_

STATEMENT ON BACK OF SHEET

CORNER RI	ECORD			<u></u>
COUNTY OF MARIN T			MERIDIAN	CALIFORNIA
ORNER TYPE: GOVT. CORNER MEANDER RANCHO	-	OTHER [		
ORNER IDENTIFICATION — DATE OF VISIT				
		,		
CORNER — LEFT AS FOUND [] FOUND AND TAGGED [] REESTAB	LISHED OBLITERATED	CORNER 🔲	REBUILT	
PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED	TO IDENTIFY OR RE	STABLISH	1 4404	i.
ED. 3 STD. CITY MONUMENTS	NAARINI	COLLA	LANDII TY RECT	DRDS
CIRCLE PER BK 23 PM PG8,	MARIN	COUN	, ALCC	1700
4 P No. 18-191-37			*	
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	•			
· ·	,	•		
SET NAIL & TAG "LS 48	318			
•		•		
		, Ja		
<i>p p p p p p p p p p</i>		`	Na.	•
			W /	
† †			<i>[</i> ]	
Ϊ /			/K/	
d	RCEL A		\@\/	
b K	23 PM B		(4) T	
		/0	57/	
BE JARKSPUR		[0]	,	
o L LA		6		
120		/3/		
TO CA		17)		
100	\sqrt{5\gamma}			
. / 63	/30/			
CA	\			
18		50 100	200	300
	Lues =	GRAPH	IC SCALE	
	14/		40 111	
		، محتد	ROFESSIO	33 3
SURVEYOR'S CERTIFICATE		COUNTY SURY	ETORIS CERTIFICAT	· ~ -
THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY	THE CORNER I	ECORD WAS REC		

L.S. or R.C.E. No.: .